

- **Kenmerken:**

-Gezichtsherkenning/ Qr code/bluetooth/pincode/kaart lezer toegang

-high end design: keuze tussen geborsteld aluminium en 3 tinten echt brons

-1 toestel voor zowel op-als inbouwmontage. Kies tijdens installatie!

-3 specifieke software versies in toestel: Eengezinswoningen, kantoren en appartementsgebouwen.





Door Entry Systems

- **Physical & Power**

Front panel: Glass and anodised aluminium/ brass
Display: 4 Inch, color TFT LCD, touchable
Camera: 2M pixels
Numeric keypad as option
Gesture detection sensor: Support
Wiegand port: Support
RS485 port: Support
RF card reader: 13.56MHz & 125kHz, NFC
Relays out: 2
Inputs: 3
BLE : Support
Speaker: 1
Power out: 12V/1A (Max.)
Ethernet port: RJ45, 10/100Mbps adaptive
802.3at Power-over-Ethernet
12V DC connector (if not using PoE+)
IP rate: IP65
Installation: Wall-mounted and flush mounted with 1 and the same frame.
Dimension: 280x124x39mm surface mounted/flush mounted
Recess for flush: 269x113x35
Working Humidity: 10~90%
Working Temperature: -20°C ~ +60°C
Storage Temperature: -40°C ~ +70°C

- **Audio**

SIP v1 (RFC2543), SIP v2 (RFC3261)
Narrowband audio codec: G.711a, G.711μ
Wideband audio codec: G.722
DTMF: In-band, out-of-band DTMF (RFC2833), SIP Info
Echo Cancellation
Voice Activation Detection
Comfort Noise Generator

- **Video**





Sensor: 1/2.8", CMOS for main camera
Pixels: CIF, QCIF, VGA, 4CIF, 720p, 1080p

Door Entry Systems

Video codec: H.264

Video technology: HDR

Video resolution: up to 1920x1080

Max. image transfer rate: 1080p – 30fps

Viewing angle: 125°(H) / 65°(V)

Compatible to 3rd-Party-Video components, e.g. NVRs

- **Networking and Protocol**

Protocols support: IPv4, HTTP, HTTPS, FTP, SNMP, DNS, NTP, RTSP, RTP, TCP, UDP, ICMP, DHCP, ARP

- **Door Entry Feature**

Relays controlled individually by DTMF tones

Multi-way Unlock: Face, IC/ID Card, PIN and BLE

Camera permanently operational

White balance: auto

Minimum illumination: 0.1LUX

- **Deployment & Maintenance**

Auto-Provisioning

Web management portal

Web-based packet dump

Configuration backup / restore

Entry log export

Access table export / import

Firmware upgrade

System logs (include door access logs)

- **Application Scenario**

Provides resident / visitor access control for buildings such as condominiums, apartment buildings, office buildings, gated communities and industrial buildings

